



End Fitting

Threaded Stud



Item	Cable	Thread	Length	Hole to Drill
7801S-0602	3/32"	3/16"-24	3-5/8"	0.22"
7801S-0603	1/8"	1/4"-20	3-3/4"	0.28"
7801S-0605	3/16"	1/4"-20	4-1/2"	0.40"
7801S-0805	3/16"	5/16"-18	4-3/4"	0.38"
7801S-1005	3/16"	3/8"-16	5-3/16"	0.38"
7801S-0806	1/4"	5/16"-18	5-3/8"	0.52"
7801S-1006	1/4"	3/8"-16	5-3/4"	0.52"
7801S-1306	1/4"	1/2"-13	6-3/8"	0.52"

Larger sizes and left hand threaded also available.

Lifeline Threaded Stud



Item	Cable	Thread	Length	Hole to Drill
78011S-0603	1/8"	1/4"-20"	4-1/4"	0.25"
78011S-0605	3/16"	1/4"-20"	4-1/4"	0.32"
78011S-0806*	1/4"	5/16"-18"	4-3/4"	0.38"
78011S-1006*	1/4"	3/8"-16"	5-1/4"	0.38"

Larger sizes and left hand threaded also available.

* Use 7/32" Die.

Eye Swage



Item	Cable	Eye Dia	Length
7802S-03	1/8"	0.25"	2-1/8"
7802S-05	3/16"	0.40"	3"
7802S-065	1/4"	0.52"	3-5/8"

Up to 1/2" cable sizes are available in stock.

Stem Ball Swage



Item	Cable	Length	After Swage
⊙ 78081-03	1/8"	1.25"	0.19"
⊙ 78081S-05	3/16"	1.38"	0.25"
78081S-06*	1/4"	1.90"	0.31"
78081S-08**	5/16"	2.30"	0.43"
78081S-10***	3/8"	2.75"	0.56"

* Use 7/32" die to swage.

** Use 9/32" die to swage.

*** Use 5/16" die to swage.

Dome Swage



Item	Cable	Length	Hole to Drill
7808S-03	1 / 8 "	2-1/4 "	0.25 "
7808S-05	3/16 "	2-3/8 "	0.32 "
7808S-06*	1 / 4 "	2-3/4 "	0.38 "

Use 7/32 " die to swage

Toggle Swage



Item	Cable	Pin Dia	Opening	Clearance
7805S-03	1 / 8 "	0.25 "	0.30 "	0.46 "
7805S-05	3/16 "	0.25 "	0.30 "	0.46 "
7805S-065	1 / 4 "	0.32 "	0.42 "	0.42 "

Up to 1/2 " cable sizes are available in stock

Machine Fork Swage



Item	Cable	Pin Dia	Fork Opening	Fork Clearance
7810S-03	1 / 8 "	0.25 "	0.32 "	0.38 "
7810S-05	3/16 "	0.32 "	0.40 "	0.45 "
7810S-06	1 / 4 "	0.36 "	0.47 "	0.50 "

Jaw Swage



Item	Cable	Pin Dia	Jaw Opening	Jaw Clearance
7803S-03	1 / 8 "	0.25 "	0.32 "	0.38 "
7803S-05	3/16 "	0.35 "	0.48 "	0.53 "
7803S-065	1 / 4 "	0.48 "	0.57 "	0.82 "

Up to 1/2 " cable sizes are available in stock.

Deck Toggle Swage



Item	Cable	Hole for Screw	Dist.BTW Holes	Length
7806S-03	1 / 8 "	0.25 "	1.30 "	3 "
7806S-05	3/16 "	0.25 "	1.30 "	3-3/4 "
7806S-065	1 / 4 "	0.32 "	1.56 "	5 "

HandSwage Fittings


Hand Swage Stud



Item	Cable	Thread	Length
7801S-HS-0603	1 / 8"	1/4"-20	3-3/4"
7801S-HS-0605	3/16"	1/4"-20	4-1/4"
7801S-HS-0603Short	1 / 8"	1/4"-20	2-3/8"
7801S-HS-0605Short	3/16"	1/4"-20	2-3/4"

Special swage tool is needed. Tool can be purchased separately.

Hand Swage Jaw



Item	Cable	Pin Dia	Opening	Clearance
7803S-HS-03	1 / 8"	0.20"	0.28"	0.36"
7803S-HS-05	3/16"	0.25"	0.31"	0.36"

Special swage tool is needed. Tool can be purchased separately.

Hand Swage Deck Toggle



Item	Cable	Length
7806S-HS-03	1 / 8"	2-1/4"
7806S-HS-05	3/16"	2-3/4"

Special swage tool is needed. Tool can be purchased separately.

Hand Swage Toggle



Item	Cable	Pin Dia	Opening	Clearance
7805S-HS-03	1 / 8"	0.20"	0.18"	0.35"
7805S-HS-05	3/16"	0.32"	0.30"	0.48"

Special swage tool is needed. Tool can be purchased separately.