


These all purpose cables have many uses in agriculture and industry where high strength and small size are required.

NOT FOR AIRCRAFT USE



7X7 GALVANIZED CABLE

Meets Dimensional and Strength Requirements of MIL-W-834 20D

Size (Inches)	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs.)
1/16	7.5	96
3/32	16.	184
1/8	28.	340
5/32	43.	520
3/16	62.	740
1/4	106.	1220



7X19 GALVANIZED CABLE

Meets Dimensional and Strength Requirements of MIL-W-834 20D

Size (Inches)	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs.)
3/32	17.4	200
1/8	29.	400
5/32	45.	560
3/16	65.	840
7/32	86.	1000
1/4	110.	1400
5/16	173.	1960
3/8	243.	2880

DO NOT EXCEED WORK LOAD LIMIT OR 20% OF THE PRODUCT'S BREAK STRENGTH.

When using wire rope clips with plastic coated cable, match clip size to uncoated cable diameter
(3/16" coated to 1/4 takes 3/16" clip.)

Strip plastic coating off cable where clips will be positioned for full holding power.




NOT FOR AIRCRAFT USE


CLEAR VINYL COATED GALVANIZED CABLE

[Click Here To Buy](#)

Cable Diameter (Inches)	Coated to (Inches)	Construction	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs)
1/16	3/32	7 x 7	11.8	96
3/32	1/8	7 x 7	18.5	184
3/32	3/16	7 x 7	25.8	184
1/8	3/16	7 x 7	35.2	340
1/8	3/16	7 x 19	36.2	400
3/16	1/4	7 x 19	77.5	740
1/4	5/16	7 x 19	123.0	1400
5/16	3/8	7 x 19	197.0	1960
3/8	7/16	7 x 19	326.0	2880



7 x 7



7 x 19

CLEAR VINYL COATED STAINLESS CABLE, TYPE 304

Cable Diameter (Inches)	Coated to (Inches)	Construction	Approx. Weight per 1000 ft. (Lbs)	Work Load Limit (Lbs)
1/8	3/16	7 X 19	36.2	400
3/16	1/4	7 X 19	77.5	740
1/4	5/16	7 X 19	123.0	1400
5/16	3/8	7 X 19	197.0	1960
3/8	7/16	7 x 19	270.0	2880

Also available on special order: nylon and vinyl in various colors.